

1 simplivre, write your books in a simple and clear  
2 way<sup>1</sup>

3 Jinwen

4 March 2021, Beijing

<sup>1</sup>Corresponding to: simplivre 2021/03/15





## Preface

1 simplivre is a member of the minimalist class series. The entire collection includes minimart  
2 and einfart for typesetting articles and minimbook and simplivre for typesetting books. My  
3 original intention in designing this series was to write drafts and notes that look simple but  
4 not shabby.

5 Among them, einfart and simplivre support three languages: English, French, and Chinese,  
6 and these three languages can be switched seamlessly in a single document. Due to the  
7 usage of custom fonts, they need to be compiled with  $\text{\LaTeX}$  or  $\text{Lua\LaTeX}$ .

8 This documentation is typeset using einfart. You can think of it as a short introduction and  
9 demonstration.





# Contents

1	On the naming and differences . . . . .	1
2	Some instructions . . . . .	3
1	Theorems and how to reference them . . . . .	3
2	Define a new theorem-like environment . . . . .	3
3	Draft mark . . . . .	4
4	Language configuration . . . . .	4
5	On the line numbers . . . . .	4
6	On the footnotes in the title . . . . .	5
7	On the fonts . . . . .	5
3	Document templates . . . . .	7



# 1

## On the naming and differences

- 1 einfart is taken from German word “einfach” (“simple”), combined with the first three let-  
2 ters of “artikel” (“article”).
- 3 simplivre is taken from French words “simple” and “livre” (for “book”).
- 4 You can use the option `fast` to enable a fast but slightly rough version. The main differences  
5 are:
- 6 • Use simpler math font configuration;
  - 7 • Do not use `hyperref`;
  - 8 • Do not use `tikz`;
  - 9 • Use `polyglossia` instead of `babel` to support multiple languages. (Using `polyglossia` will  
10 increase the compilation speed slightly, but the current compatibility with Chinese is  
11 not perfect. When it becomes more stable, I will consider fully switching to `polyglossia`)
- 12 During the writing stage of your document, it is recommended to use the `fast` option to  
13 speed up compilation and improve the smoothness of your writing experience. At the end,  
14 you can remove the “`fast`” mark to get the final version.





## 2 Some instructions

- 1 There is no indentation at the beginning of each paragraph, but there will be a half-line space
- 2 between each two paragraphs. like this —
- 3 Here is the next paragraph.


/ 1 /

### Theorems and how to reference them

Environments such as definitions and theorems have been pre-defined and can be used directly, for example:

```
\begin{definition}[Strange things] \label{def: strange} ...
```

- 4 will produce

5 DEFINITION 2.1 | (Strange things) This is the definition of some strange objects. 

- 6 There is approximately an one-line space before and after the theorem environment. There
- 7 will be a symbol to mark the end of the environment.

- 8 When referencing, you can directly use clever reference `\cref{(label name)}`. For exam-
- 9 ple, `\cref{def: strange}` will be displayed as: DEFINITION 2.1.

/ 2 /

### Define a new theorem-like environment

- 10 First define the name of this environment in the language used: `\(name of environment`
- 11 `\(language name)`. Where `(language name)` can be EN, FR, CN, etc., and then define this
- 12 environment in one of the following four ways:

- 13 • `\CreateTheorem*{(name of environment)}`
- 14 • `\CreateTheorem{(name of environment)}[(numbered like)]`
- 15 • `\CreateTheorem{(name of environment)}<(numbered within)>`
- 16 • `\CreateTheorem{(name of environment)}`

For example,

```
\def\proofideanameEN{Idea}  
\CreateTheorem*{proofidea}
```

defines an unnumbered environment `proofidea`, which supports using in the English context, and the effect is as follows:

IDEA | ...

/ 3 /  
Draft mark

You can use `\dnf` to mark the unfinished part. For example:

- `\dnf:` To be finished here
- `\dnf<Still need ...>:` To be finished here : Still need ...

Similarly, there is `\needgraph` :

- `\needgraph:` A graph is needed here
- `\needgraph<About ...>:` A graph is needed here : About ...

/ 4 /  
Language configuration

You can use `\UseLanguage{(name of language))}` at any time to change the language, Language names include Chinese, English, French (the case of the first letter is arbitrary, for example, “chinese” is also acceptable). With this, the effects of various commands and environments will also change accordingly.

For example, after using `\UseLanguage{French}`, the theorem and the draft mark will be displayed as:

THÉORÈME 2.2 | (Inutile) Un théorème en français. À terminer ici

When referenced, the name of the theorem always matches the language of the region in which the theorem is located, for example, the definition of the beginning is still displayed in English in the current French mode : DEFINITION 2.1 and THÉORÈME 2.2.

/ 5 /  
On the line numbers

Line numbers can be turned on and off at any time. `\linenumbers` is used to enable the line numbers, and `\nolinenumbers` is used to disable them. For the sake of beauty, the title, table of contents, index and some other elements are not numbered.

## On the footnotes in the title

- 1 In `\chapter` or `\chapter` , if you wish to add footnotes, you can only:
- 2 • first write `\mbox{\protect\footnotemark}`,
  - 3 • then add `\footnotetext{...}` afterwards.
- 4 This is a disadvantage brought about by the underline decoration of the title.

## On the fonts

5 `einfart` and `simplivre` use Palatino Linotype as the English font, FounderType's YouSong  
6 and YouHei Simplified as the Chinese fonts, and partially use Neo Euler as the mathematical  
7 font:

- 8 • English main font. English sans serif font.
- 9 • 中文主要字体, 中文无衬线字体
- 10 • Math demonstration:  $\alpha, \beta, \gamma, \delta, 1, 2, 3, 4, a, b, c, d,$

$$11 \quad \text{li}(x) := \int_2^{\infty} \frac{1}{\log t} dt$$

12 Among them, Neo Euler can be downloaded at <https://github.com/khaledhosny/euler-otf>.  
13 Other fonts are not free, you need to purchase and use them on your own. (For the Chinese  
14 fonts, visit FounderType's website for detail: <https://www.foundertype.com> ).

15 When the corresponding font is not installed, the font that comes with TeX Live will be used  
16 instead, and the experience might be reduced.



# 3

## Document templates

```

%! TEX program = xelatex
\documentclass[fast]{simplivre}

\linenumbers
\UseLanguage{French}

\begin{document}

\title{Titre}
\author{Nom}
\date{03 / 2021, Lieu}

\maketitle

%% Texte ici

\end{document}

```

```

%! TEX program = xelatex
\documentclass[fast]{simplivre}

\linenumbers
\UseLanguage{Chinese}

\begin{document}

\title{标题}
\author{姓名}
\date{2021年3月, 地点}

\maketitle

%% 正文部分

\end{document}

```

- 1 (\UseLanguage can be placed either in the preamble or in the body part, and can be used
- 2 repeatedly as needed)